


Crawford County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Crawford Total | 453.4 | 457.6 | 493.5 |
| -●- Crawford Male | 515.8 | 602.0 | 549.7 |
| -◇- Crawford Female | 417.4 | 361.4 | 441.5 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | 1992-1996 | | | | | 1997-2001 | | | | | 2002-2006 | | | | |
|-------------------|-----------|------|--------|-------|-----------|-----------|------|--------|-------|-----------|-----------|------|--------|-------|-----------|
| | Prostate | Lung | Breast | Colon | All other | Prostate | Lung | Breast | Colon | All other | Prostate | Lung | Breast | Colon | All other |
| ■ Crawford County | 58.7 | 72.8 | 75.7 | 53.3 | 192.9 | 77.9 | 84.6 | 42.8 | 38.9 | 213.5 | 79.2 | 85.2 | 61.5 | 46.9 | 220.6 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Kalkaska County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Kalkaska Total | 443.2 | 478.6 | 411.3 |
| -●- Kalkaska Male | 509.1 | 577.2 | 464.7 |
| -◇- Kalkaska Female | 393.6 | 386.6 | 366.5 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




Lake County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Lake Total | 553.6 | 500.0 | 560.1 |
| -●- Lake Male | 666.2 | 592.2 | 708.8 |
| -◇- Lake Female | 473.4 | 422.0 | 421.9 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | 1992-1996 | | | | | 1997-2001 | | | | | 2002-2006 | | | | |
|---------------|-----------|------|--------|-------|-----------|-----------|------|--------|-------|-----------|-----------|-------|--------|-------|-----------|
| | Prostate | Lung | Breast | Colon | All other | Prostate | Lung | Breast | Colon | All other | Prostate | Lung | Breast | Colon | All other |
| ■ Lake County | 89.7 | 89.6 | 73.5 | 64.5 | 236.3 | 78.0 | 84.6 | 76.2 | 67.2 | 194.1 | 127.2 | 102.5 | 54.0 | 48.9 | 227.5 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Manistee County


Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH



Total Cancer Incidence

Age adjusted Rate, per 100,000
MDCH




| | 1992-1996 | 1997-2001 | 2002-2006 |
|-----------------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| - - - ● - - - Michigan Male | 654.7 | 630.1 | 599.0 |
| —◆— Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Manistee Total | 520.6 | 480.0 | 500.7 |
| - - - ● - - - Manistee Male | 648.3 | 588.4 | 591.2 |
| —◆— Manistee Female | 437.4 | 402.9 | 425.0 |

Mason County

Total Cancer Incidence


Age Adjusted Rate, per 100,000 MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Mason Total | 505.7 | 524.5 | 413.6 |
| -●- Mason Male | 617.9 | 618.1 | 473.5 |
| -◇- Mason Female | 436.9 | 463.8 | 371.3 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | | | | | | | | | | | | | | | |
|----------------|------|------|------|------|-------|------|------|------|------|-------|------|------|------|------|-------|
| ■ Mason County | 92.4 | 71.3 | 67.1 | 63.5 | 211.3 | 84.3 | 74.1 | 81.3 | 58.1 | 226.7 | 60.0 | 75.8 | 56.6 | 34.1 | 187.1 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Mecosta County

Total Cancer Incidence


Age Adjusted Rate, per 100,000 MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Mecosta Total | 480.6 | 406.7 | 466.8 |
| -●- Mecosta Male | 579.1 | 453.3 | 560.5 |
| -◇- Mecosta Female | 412.0 | 375.4 | 389.2 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




Missaukee County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|----------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Missaukee Total | 427.3 | 482.7 | 452.0 |
| -●- Missaukee Male | 462.9 | 532.3 | 516.1 |
| -◇- Missaukee Female | 413.7 | 460.0 | 393.6 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | | | | | | | | | | | | | | | |
|--------------------|------|------|------|------|-------|------|------|------|------|-------|------|------|------|------|-------|
| ■ Missaukee County | 52.4 | 59.4 | 57.4 | 42.3 | 215.8 | 75.8 | 68.5 | 85.1 | 59.8 | 193.6 | 81.6 | 82.7 | 61.1 | 42.8 | 183.8 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Newaygo County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Newaygo Total | 495.6 | 443.2 | 594.4 |
| -●- Newaygo Male | 604.2 | 516.6 | 713.7 |
| -◇- Newaygo Female | 410.6 | 385.5 | 496.7 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | | | | | | | | | | | | | | | |
|------------------|------|------|------|------|-------|------|------|------|------|-------|------|------|------|------|-------|
| ■ Newaygo County | 94.5 | 78.4 | 57.8 | 58.4 | 206.9 | 76.5 | 70.9 | 63.2 | 52.1 | 180.4 | 94.2 | 96.6 | 73.0 | 69.5 | 261.2 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Oceana County

Total Cancer Incidence


Age Adjusted Rate, per 100,000 MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◇- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Oceana Total | 521.5 | 497.8 | 412.9 |
| -●- Oceana Male | 634.2 | 581.4 | 479.1 |
| -◇- Oceana Female | 442.3 | 437.7 | 359.1 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | | | | | | | | | | | | | | | |
|-----------------|-------|------|------|------|-------|------|------|------|------|-------|------|------|------|------|-------|
| ■ Oceana County | 102.0 | 75.7 | 63.4 | 49.8 | 230.6 | 84.2 | 71.8 | 77.4 | 51.3 | 213.1 | 74.3 | 52.0 | 64.5 | 45.6 | 176.5 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Osceola County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◆- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Osceola Total | 566.7 | 513.7 | 604.5 |
| -●- Osceola Male | 694.1 | 615.3 | 730.8 |
| -◆- Osceola Female | 479.8 | 436.2 | 497.3 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH




| | | | | | | | | | | | | | | | |
|------------------|------|------|------|------|-------|------|------|------|------|-------|-------|------|------|------|-------|
| ■ Osceola County | 98.7 | 91.4 | 81.0 | 68.6 | 227.0 | 80.8 | 85.0 | 66.0 | 68.0 | 213.9 | 116.2 | 81.5 | 78.4 | 59.1 | 269.4 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |

Wexford County

Total Cancer Incidence

Age Adjusted Rate, per 100,000


MDCH



| | 1992-1996 | 1997-2001 | 2002-2006 |
|---------------------|-----------|-----------|-----------|
| —■— Michigan Total | 520.4 | 517.4 | 504.8 |
| -●- Michigan Male | 654.7 | 630.1 | 599.0 |
| -◆- Michigan Female | 435.2 | 443.4 | 438.5 |
| —■— Wexford Total | 523.2 | 524.4 | 529.2 |
| -●- Wexford Male | 657.9 | 618.5 | 659.6 |
| -◆- Wexford Female | 434.1 | 454.5 | 428.7 |

Cancer Incidence

Age Adjusted Rate, per 100,000
MDCH



| | | | | | | | | | | | | | | | |
|------------------|------|------|------|------|-------|------|------|------|------|-------|-------|------|------|------|-------|
| ■ Wexford County | 88.0 | 91.3 | 76.5 | 60.8 | 206.5 | 88.1 | 65.4 | 81.5 | 60.4 | 228.9 | 110.8 | 75.9 | 54.5 | 55.4 | 232.7 |
| ■ Michigan | 89.4 | 79.1 | 74.0 | 59.2 | 218.8 | 86.9 | 75.6 | 74.2 | 57.4 | 223.2 | 90.2 | 75.1 | 67.7 | 52.4 | 229.4 |