

## DHD#10 ANNOUNCES COVID-19 TESTING CLINIC CLOSURES

February 17, 2023 – District Health Department #10 (DHD#10) is announcing that there will be three COVID-19 Testing Clinic closures during the week of February 19 – 25, 2023.

The following clinics will be closed:

**Newaygo County**  
**TrueNorth Community Services**  
Fremont, MI  
February 20, 2023

**Wexford County**  
**DHD#10/NLCMH**  
Cadillac, MI  
February 20, 2023

**Mason County**  
**Safe Harbor Credit Union**  
Ludington, MI  
February 21, 2023

All COVID-19 Testing Clinic will continue to run as scheduled after these dates.

DHD#10 supplies COVID-19 at-home tests; however, supplies are limited. COVID-19 test kits are limited at each DHD#10 office and are available on a first come, first served basis. Individuals are asked to take one kit per person, and up to four kits per household. Test kits are also available at most pharmacies. Be sure to call your pharmacy ahead of time, as demand remains high.

To check what your COVID-19 at-home test kit's expiration date is, please visit: <https://www.fda.gov/medical-devices/coronavirus-covid-19-and-medical-devices/home-otc-covid-19-diagnostic-tests#list>.

For those wanting to schedule their Pfizer or Moderna bivalent booster, or any COVID-19 vaccine, please visit <https://www.dhd10.org/schedule> or call 888-217-3904. If no appointments are available, consider going to a pharmacy or your primary health care provider. Additional vaccination sites can be found at <https://www.vaccines.gov/search>.

For more information on COVID-19, visit <https://www.dhd10.org/coronavirus>.

###



### MEDIA CONTACT

Nicholas Eckhart  
Public Information Officer  
O: 616-500-0246  
C: 575-405-9082  
E: neckhart@dhd10.org



### COUNTIES SERVED:

Crawford  
Kalkaska  
Lake  
Manistee  
Mason  
Mecosta  
Missaukee  
Newaygo  
Oceana  
Wexford



[www.dhd10.org](http://www.dhd10.org)



[www.facebook.com/DHD10](https://www.facebook.com/DHD10)



[districthealthdept10](https://www.instagram.com/districthealthdept10)

